

CLAVULOX[®] L.C.

**FAST
FACTS**

THE SPRING SPECIALIST IN TREATING MASTITIS

Clavulox L.C has broad spectrum activity and high cure rates against *Strep. uberis*. This is due to the combination of the active ingredients amoxicillin and clavulanic acid.

APPROVED FOR USE IN LACTATING COWS

Active Ingredients

Each 3g syringe contains:

200mg Amoxicillin

50mg Clavulanic Acid

10mg Prednisolone.

PRODUCT FEATURES

- Broad spectrum activity and high cure rates against *Strep. uberis* and ideal for first line treatments around calving
- Contains an anti-inflammatory to reduce udder inflammation and hasten recovery of milk quality
- Short milk withholding
- Contains the antibiotics amoxicillin & clavulanic acid

ADMINISTRATION

After milking, clean and disinfect the teat using teat wipes. Insert the syringe nozzle into the teat orifice and apply gentle and continuous pressure until the suspension is expressed into the teat canal. The treated quarter(s) may be milked out at the next normal milking time but the milk should be discarded.

Dose: A course of 3-5 syringes per infected quarter. One syringe to be infused every 12 hours.

PACK SIZE

Each box contains 24 syringes

WITHHOLDING PERIODS

3 tubes at 12 hour intervals

MILK 48 hours / 4 milkings

MEAT 3 days

5 tubes x 12 hour intervals

MILK 96 hours / 8 milkings

MEAT 7 days

STORAGE

Store below 25°C.

